

Advil Allergy Sinus (Ibuprofen / Pseudoephedrine / Chlorpheniramine) basics

Relieves cold and allergy symptoms. Advil Allergy Sinus (Ibuprofen / Pseudoephedrine / Chlorpheniramine) is good for multiple allergy and cold symptoms, but check to be sure you really need all of its ingredients.

What to expect when starting

Here's when people typically experience benefits as well as some possible side effects. Your experience may be different.

	Hours	Days	Weeks	Months	Long term
Advil Allergy Sinus (Ibuprofen / Pseudoephedrine / Chlorpheniramine) Drug effectiveness					
Possible side effects†					
Upset stomach					
Sleep problems					
High blood pressure					

† Data on frequency of side effects is not available.

Tips from pharmacists

- You need to show an ID to buy Advil Allergy Sinus (Ibuprofen / Pseudoephedrine / Chlorpheniramine) in the drugstore because it contains pseudoephedrine.
- Take it after eating to avoid getting an upset stomach.
- Don't take it with alcohol or other drugs that make you sleepy.
- Can cause an irregular or fast heartbeat, and can raise your blood pressure.
- Be careful taking Advil Allergy Sinus (Ibuprofen / Pseudoephedrine / Chlorpheniramine) if you have a history of bleeding problems or ulcers since it can make them worse.

Risks and warnings

Contact your doctor if you experience any of these.

Stomach bleeding

Advil Allergy Sinus (Ibuprofen / Pseudoephedrine / Chlorpheniramine) contains ibuprofen, which can cause serious problems including inflammation, bleeding, and ulcers in the stomach or intestines. The longer you take Advil Allergy Sinus (Ibuprofen / Pseudoephedrine / Chlorpheniramine), the higher the risk is. If you notice blood or a dark/black color in your stool, tell your doctor right away.

Driving impairment

Advil Allergy Sinus (Ibuprofen / Pseudoephedrine / Chlorpheniramine) lowers your ability to focus, think, and react. Be careful. Avoid activities that require you to be alert, such as driving a car or operating machinery, until you know how this medication affects you.

Harm to fetus

Advil Allergy Sinus (Ibuprofen / Pseudoephedrine / Chlorpheniramine) can harm unborn babies. Ibuprofen can increase the risk of a heart defect in an unborn baby if you take it during the last 3 months of pregnancy (last trimester). Talk with your doctor or pharmacist about what's safe and will work best for you while pregnant.